

AC1200 Dual Band Wireless Router

WR743R-V2












Concurrent Dual Band Connections for Lag-Free Work and Entertainment

The WR743R-V2 operates both the 2.4GHz and 5GHz bands, ensuring amazing wireless performance. Simple tasks like sending e-mails or web browsing can be handled by the 2.4GHz band while bandwidth intensive tasks like online gaming or HD video streaming can be processed by the 5GHz band – all at the same time.




5GHz

2.4GHz

Greater Coverage and Enhanced Reliability

Four 5dBi antennas perfect for small to medium house, a better coverage lets you never lost connections and enjoy more stable connection.






Specifications

General

- Wireless Standards: IEEE802.11a/n/ac,5GHz, IEEE802.11b/g/n,2.4GHz
- Signal Rate: 5GHz: Up to 867Mbps, 2.4GHz: Up to 300Mbps
- Operation Frequency: 2.4GHz & 5GHz
- Wireless Security: WEP, WPA / WPA2, WPA-PSK/ WPA2-PSK encryption

Hardware

- Interfaces: 1 x 10/100Mbps WAN Port, 3 x 10/100Mbps LAN Port
- Buttons: WPS/ Reset Button
- Power Supply: DC 12V 1.0A
- Antenna: 4 x 5dBi external antennas
- Dimensions (W X D X H): 188MMx120MMx27MM





Specifications

Software Features

- WAN Type: Dynamic IP/Static IP/PPPoE
- DHCP: Server, DHCP Reservation, Static Route, DDNS
- Quality of Service: Download / Upload Speed control
- Port Forwarding: Virtual Server, Port Triggering, DMZ
- VPN Pass-Through: PPTP, L2TP,
- Access Control: Parental Control, Host List, Access Control, Rule Management
- Firewall Security: SPI Firewall, IP and MAC Address Binding
- Management: Access Control, Local Management, Remote Management
- Internet Protocol: IPv4, IPv6

Environment

- Operating Temperature: 0°C~40°C (32°F~104°F)
- Storage Temperature: -40°C~70°C (-40°F~158°F)
- Relative Humidity: 10%~90%, non-condensing
- Storage Humidity: 5%~95%, non-condensing

Package Contents

- 1 x Wireless Router
- 1 x Power Adapter
- 1 x Ethernet Cable